

CITY OF KIRTLAND

ORDINANCE NUMBER 25-O-59

**AN ORDINANCE AUTHORIZING THE CITY OF KIRTLAND
TO ENTER INTO A CONTRACT TO PURCHASE ONE (1) 2025
F-750 CHASSIS, DUMP BODY, AND EQUIPMENT AS SHOWN
IN EXHIBIT A , AND DECLARING AN EMERGENCY.**

WHEREAS, the Director of Public Service of the City of Kirtland has determined that it needs one new snowplow truck for its Service Department to assist with its daily activities and snow removal activities within the City; and

WHEREAS, the Director of Public Service has recommended the purchase of one (1) 2025 Ford F-750 chassis through Valley Ford, a vendor who participates in the Ohio Department of Transportation's State Term Schedule Contract, a joint purchasing program in accordance with Ohio Revised Code 9.48; and

WHEREAS, the Director of Public Service has recommended the purchase of the chassis at a cost not to exceed \$95,872.00; and

WHEREAS, the dump body and truck equipment are not part of the Ohio Department of Transportation's State Term Schedule Contract; and

WHEREAS, the Director of Public Service has recommended the purchase of one (1) dump body and additional equipment to outfit the vehicle through Best Truck Equipment, Inc. for an amount not to exceed \$74,979.00 which is under the 2025 public bid threshold of \$77,250.00; and

WHEREAS, the Director of Public Service has recommended the purchase of the 2025 F-750 chassis, dump body, and truck equipment with the specifications as outlined in the quote attached hereto as Exhibit A for a total cost not to exceed \$170,851.00; and

NOW, THEREFORE, IT IS HEREBY RESOLVED by the Council of the City of Kirtland, County of Lake and State of Ohio, that:

SECTION I: The Mayor and/or the Director of Public Service are hereby authorized and directed to enter into a sales agreement with Valley Ford for the purchase of one (1) 2025 Ford F-750 chassis in accordance with ODOT Contract #118-25 and with Best Truck Equipment for the purchase of one (1) dump body and ancillary equipment, for a total amount not to exceed \$170,851.00. Said contract and accompanying documents are attached hereto and incorporated herein as Exhibit A.

SECTION II: The Mayor and Director of Public Service are hereby authorized to sign any documents to complete the purchase as described herein and the Director of Finance is hereby authorized to expend an amount not to exceed \$170,851.00 to complete the transaction.

SECTION III: It is found and determined that all formal actions of this Council concerning and relating to the passage of this Ordinance were passed in an open meeting of this Council, and that all deliberations of this Council and of any of its committees that resulted in such formal action were in meetings open to the public, in compliance with all legal requirements including Section 121.22 of the Ohio Revised Code.

SECTION IV: This Ordinance is declared to be an emergency measure necessary for the preservation of the public peace, safety and welfare of the citizens of the City of Kirtland. The emergency is necessary in order to continue providing necessary services to the residents by and from its Service Department. Therefore, this Ordinance shall be in full force and effect immediately upon its passage by the affirmative vote of five (5) members of Council and approval by the Mayor, otherwise this Ordinance shall be in effect from and after its adoption at the earliest period allowed by law.

First Reading: The readings
Second Reading: were waived
Third Reading: _____

DATE PASSED: September 3, 2025




President of Council

Submitted to the Mayor for his
Approval on this 3rd day of
September, 2025.

ATTEST:

Approved by the Mayor, this 3rd
day of September, 2025.



Clerk of Council
Purchase 2025 F-750 for SD



Mayor Kevin F. Potter



Date: Wednesday, August 27, 2025
Client: City of Kirtland
Contact: Joe Fornaro
Phone: (440) 799-5019
Email: jfornaro@kirtlandohio.com
Contract: ODOT 118-25
chassis \$95,872.00
equipment \$74,979.00
Total \$170,851.00

Hi Joe,

Following are the specifications for the F750 and equipment from Best Truck.

Due to the long lead on equipment install, the City will be billed for the chassis once PO is received with payment due net 30. The balance will be due at completion of build.

I will call to follow up but please call with any questions, (216)524-2400.

Regards,
Jenny Loveland
Government Sales Manager

(**) All cost increases for major components and government mandated requirements, tariffs, and raw material surcharges will be passed through and added to factory invoices and applicable equipment providers pricing.

FLEET MAINTENANCE COUNCIL OF NEO
NORTHEAST OHIO SERVICE DIRECTORS
OHIO TOWNSHIP ASSOCIATION
VENDOR STATE OF OHIO
BOARD OF DIRECTORS UNIVERSITY OF ASHLAND WOMEN IN LEADERSHIP
MEMBER KIWANIS INTERNATIONAL
MEMBER INTERNATIONAL SOCIETY OF FEMALE PROFESSIONALS

Due to worldwide commodity shortages and market instability, dealer is not responsible for any change in production or pricing from manufacturer or aftermarket equipment supplier. Dealer reserves the right to amend any appraisals given that are 30 days or older.

Prepared for: JOE FORNARO

CITY OF KIRTLAND

Prepared by: Jenny Loveland

08/06/2025



Valley Truck Centers | 5715 Canal Rd. Cleveland Ohio | 44125

2025 F-750 Diesel Regular Cab Base (F7D)

Price Level: 515 | Stock No: 52845N | VIN: 1FDWF7DC7SDF08074 | Quote ID: 52845N

As Configured Vehicle (cont'd)

Description

Taper-Leaf Springs, Parabolic - 12,000 lb. Cap

2-leaf, 62" x 3.15". Also includes, standard duty, dual, double acting shock absorbers.

21,000 lb. Single Reduction - Open - Dana / Spicer 21060S

NOTE: When specifying an axle ratio, check performance guidelines for startability and gradeability.

Multi-Leaf Springs - 21,000 lb. Cap

11-leaf. Includes 2,000 lb auxiliary springs for load stabilization.

Lube, Rear Axle, EmGard 75W-90, Synthetic Oil

6.50 Axle Ratio

158" Wheelbase/84" CA/49" AF/246" OAL

Single Channel - Straight 'C' 14.18 SM, 120,000 PSI

1,701,600 RBM. Heat treated alloy steel; 10.125" x 3.580" x 0.312" (257.2mm x 90.9mm x 8.0mm).

Special Rating GVWR - Limited to 25,999 lb. GVWR

Only available to GAWR combinations that EXCEED 26,000 lbs.

Under Cab, Right Side Outlet, Switchback-Style

Single, horizontal muffler, right side, under cab, outside of frame rail with rear discharge.

Fuel Tank - LH 50 Gallon Rectangular - Aluminum

Extra Heavy Duty Alternator - 12-Volt, 200 Amp Denso SC5

Jump Start Stud - Remote Mounted

Battery - Two 900 CCA, 1800 Total, Includes Steel Battery Box

12Volt, Motorcraft.

Daytime Running Lamps (Not Configurable)

30/70 Air Ride Driver (External Air Source) & Fixed 2-Passenger Bench - Vinyl

Preferred Equipment Package 600A

Includes:

- Bumper, Front - Black, Full Width
- Wheel Seals, Front - Oil lubricated, SKF ScotSeal PlusXL Seals
- Wheel Seals, Rear - Oil lubricated, SKF ScotSeal PlusXL Seals
- Manual Regen Initiation - Driver Interface in Message Center
- Engine Exhaust Brake
- Extra Heavy Duty Alternator - 12-Volt, 200 Amp Denso SC5
- Painted Grille - Plastic
- Lights - Roof Marker/Clearance - Amber Lenses, 5 Lights
- Tow Hooks, Front (2) - Frame-Mounted, Painted Black
- Four Body Builder Switches - Mounted in Center Instrument Panel
- With connector access located in engine compartment. Amperages vary by switch: 10, 15, 25, 25.*
- Floor Covering - Black Vinyl

BEST TRUCK EQUIPMENT INC.

300 TEMPLE AVE
 PAINESVILLE TOWNSHIP, OH 44077
 Phone: (440) 579-5300 Fax: (440) 579-5255

Repair Estimate**213959**

Thank you for your business!

Bill To				Ship To		
VALLEY FORD TRUCK SALES 5715 CANAL RD CLEVELAND, OH 44125						
Customer	Contact	Customer Tax Number	Phone	Cell Phone	Warning Threshold	PO Number
2104			(216) 524-2400		\$0.00	
Counter Person	Sales Person	Date Printed	Reference	Email Address		Department
Chris Miceli	Chris Miceli	08/20/25	213959	bpaulovich@valley2.com		SHOP SALES

Make	Model	Description	Year	Odometer/Hours	VIN
VEHW	FORD	F750			
Date Purchase	Tag	Warranty Exp	ESP Expiration	Color	Storage Bin
		01/01/00	01/01/00		
Date In					
08/06/25					

Service 1 INSTALL GALION 403U S.S. DUMP BODY. CENTRAL HYDRAULIC OPERATED HOIST & PLUMBED TO SPREADER .55CU YD AUGER SPREADER . HITCH PLATE W/20T PINTLE HOOK. 10HD SERIES BOSS PLOW RUN OFF SELF CONTAINED HYDRAULICS. 210 GALLON PRE WET SYSTEM

Part Number	Line	Description	Ordered	B/O'd	Shipped	List	Net Each	Amount
403U-10	GALP	10 X 7 BODY	1		1	\$29,239.77	\$25,425.89	\$25,425.89
5621719	BUYP	17 INCH RED POLYCARBO	1		1	\$17.49	\$11.35	\$11.35
12-707	REDP	TRAILER CONNECTOR 7 POLE VEHIC	1		1	\$13.62	\$11.84	\$11.84
10042	BUYP	20 TON PINTLE HOOK WI	1		1	\$123.99	\$76.54	\$76.54
1809043	BUYP	FABRICATORS HITCH PLA	1		1	\$820.99	\$567.48	\$567.48
6381540	BUYP	15 GALLON CENTRAL HYD	1		1	\$7,203.85	\$6,264.22	\$6,264.22
B40004SS	BUYP	HYDRAULIC COUPLER SET	4		4	\$123.99	\$85.93	\$343.72
B40004DP	BUYP	1/2 INCH RUBBER DUST	2		2	\$5.99	\$3.94	\$7.88
B40004DC	BUYP	1/2 INCH RUBBER DUST	2		2	\$5.99	\$3.94	\$7.88
SK10	BUYP	BODY UP INDICATOR KIT	1		1	\$80.00	\$55.32	\$55.32
14710F523211	BUYP	SALTDogg 10 FT. X 52	1		1	\$14,085.98	\$12,248.68	\$12,248.68

Labor	Line	Mechanic	Description	Amount
L			SHOP LABOR	\$7,112.40
LP			INSTALL SNOW PLOW COMPONENTS	\$1,086.60

Model	Line	Description	Ordered	B/O'd	Shipped	List	Net	Amount
700612CPK	DEWW	KIT FORD 6.7L D 2012+	1		1	\$3,407.90	\$2,963.39	\$2,963.39

Description	Line	Reference	Quantity	Net Each	Amount
MISC PART		HOSES /FITTINGS/OIL	1	\$3,457.29	\$3,457.29
FREIGHT		INBOUND /MULTIPLE SHIPMENTS	1	\$889.02	\$889.02
MISC PART		10 HD+ BOSS SNOW PLOW INSTALLED	1	\$10,174.31	\$10,174.31
MISC PART		BOSS HD RUBBER SNOW DEFLECTOR INSTALLED	1	\$423.77	\$423.77
MISC PART		INTEGRATED 210GALLON PRE WET SYSTEM INSTALLED	1	\$3,851.42	\$3,851.42

Prepared for: **JOE FORNARO**

CITY OF KIRTLAND

Prepared by: Jenny Loveland

08/06/2025



Valley Truck Centers | 5715 Canal Rd. Cleveland Ohio | 44125

2025 F-750 Diesel Regular Cab Base (F7D)

Price Level: 515 | Stock No: 52845N | VIN: 1FDWF7DC7SDF08074 | Quote ID: 52845N

Selected Equip & Specs

Dimensions

- GCWR: 50,000 lbs.
- * **Rear brake diameter: 16.5"**
- Vehicle body length: 246.0"
- * **Vehicle body height: 95.2"**
- Turning radius (to curb): 21.9'
- Rear track: 72.6"
- Rear tire outside width: 96.0"
- * **Frame section modulus: 14.2 cu.in.**
- * **Frame rail depth: 10.1"**
- * **Frame rail thickness: .3"**
- Front bumper to front axle: 39.0"
- Leg room first-row: 41.4"
- Hip room first-row: 67.6"
- Front brake diameter: 15.0"
- Driver distance from axle: 54.4"
- Vehicle body width: 96.7"
- Wheelbase: 158.0"
- Front track: 83.8"
- Cab to axle: 84.0"
- Axle to end of frame: 49.0"
- * **Frame yield strength (psi): 120000.0**
- * **Frame rail width: 3.6"**
- Frame rail section: 9.5"
- Headroom first-row: 40.7"
- Shoulder room first-row: 68.0"

Powertrain

- Compression ignition system
- Engine cylinders: V-8
- Torque: 700 lb.-ft.@1500 RPM
- Radiator
- Auxiliary power take-off
- RNDM shift indicator
- 10-speed automatic
- Recommended fuel: diesel
- Standard rear differential
- 6.7L V-8 diesel direct injection, intercooled turbo, diesel, engine with 270HP
- Horsepower: 270 HP@2400 RPM
- * **Engine block heater**
- Engine retarder system
- Fuel/water separator
- 75 mph speed limiter
- Rear-wheel drive
- Low-speed ABS traction control

Fuel Economy and Emissions

- Federal emissions

Suspension and Handling

- Standard ride suspension
- Standard grade front shock absorbers

Driveability

- * **Air brake system**
- Four channel ABS brakes
- Leaf spring front suspension
- Rigid axle rear suspension
- Hydraulic power-assist steering system
- 2-wheel steering system
- 4-wheel antilock (ABS) brakes
- Rigid axle front suspension
- Tapered leaf front suspension
- Leaf spring rear suspension
- Re-circulating ball steering

Prepared for: **JOE FORNARO**

CITY OF KIRTLAND

Prepared by: Jenny Loveland

08/06/2025



Valley Truck Centers | 5715 Canal Rd. Cleveland Ohio | 44125

2025 F-750 Diesel Regular Cab Base (F7D)

Price Level: 515 | Stock No: 52845N | VIN: 1FDWF7DC7SDF08074 | Quote ID: 52845N

Selected Equip & Specs (cont'd)

- Manual fore/aft

- Vinyl front seat upholstery

Entertainment Features

- AM/FM stereo radio
- In-vehicle audio
- FM radio
- Auxiliary input jack
- Standard grade speakers
- Steering wheel mounted audio controls
- Fixed audio antenna
- AM/FM
- AM radio
- Seek scan
- External memory control
- Speakers number: 2
- Wireless audio streaming

Lighting, Visibility and Instrumentation

- Analog instrumentation display
- Digital clock
- Tachometer
- Engine/electric motor temperature gauge
- Transmission fluid temperature gauge
- Diesel exhaust fluid (def) gauge
- Light tinted windows
- Halogen headlights
- Multiple enclosed headlights
- Variable intermittent front windshield wipers
- * **Illuminated entry**
- Variable instrument panel light
- Cab clearance lights
- Trip odometer
- Driver information center
- Oil pressure gauge
- Oil temperature gauge
- Engine hour meter
- * **Primary air pressure gauge**
- Reflector headlights
- Auto on/off headlight control
- Delay-off headlights
- Speed sensitive wipers
- Front reading lights
- Daytime running lights
- Delay interior courtesy lights

Technology and Telematics

- Bluetooth handsfree wireless device connectivity
- 1 USB port

Safety and Security

- * **Immobilizer**
- * **Remote panic alarm**
- Vehicle tracker

Dimensions

General Weights

* Curb weight	10,428 lbs.	* Rear curb weight	3,817 lbs.
Front GAWR	12000 lbs.	Rear GAWR	21000 lbs.
GVWR	25999 lbs.	GCWR	50000 lbs.

Trailer Weights

GCWR	50,000 lbs.
------	-------------

Prepared for: **JOE FORNARO**

CITY OF KIRTLAND

Prepared by: Jenny Loveland

08/06/2025



Valley Truck Centers | 5715 Canal Rd. Cleveland Ohio | 44125

2025 F-750 Diesel Regular Cab Base (F7D)

Price Level: 515 | Stock No: 52845N | VIN: 1FDWF7DC7SDF08074 | Quote ID: 52845N

Selected Equip & Specs (cont'd)

Powertrain

Engine

Engine 6.7L V-8 diesel direct injection, intercooled turbo, diesel, engine with 270HP

Engine cylinders V-8

Ignition Compression ignition system

Engine block material Iron engine block

Valves per cylinder 4

Engine location Front mounted engine

Engine mounting direction Longitudinal mounted engine

Cylinder head material Aluminum cylinder head

Engine Specs

Displacement 6.7L

Bore 3.9"

Compression ratio 16.2

* Compressor capacity 13.20 cu.ft. cfm

* Air system moisture ejector type Manual air system moisture ejector

cc 405.9 cu.in.

Stroke 4.25"

Governed RPM 3200 RPM

* Air dryer Air dryer

Engine Power

Horsepower 270 HP@2400 RPM

Torque 700 lb.-ft.@1500 RPM

Alternator

Alternator amps 200A

Alternator type Heavy-duty alternator

Battery

Battery type Dual lead acid battery

Battery step Battery step

Battery run down protection Battery run down protection

* Battery rating 1800CCA

Battery location Battery location forward right

Engine Extras

* Block heater Engine block heater

Fuel/water separator Fuel/water separator

Engine retarder Engine retarder system

Radiator Radiator

Auxiliary power take-off Auxiliary power take-off

Shift indicator RNDM shift indicator

Transmission

Transmission 10-speed automatic

Speed limiter 75 mph speed limiter

Lock-up transmission Lock-up transmission

Second gear ratio 2.919

Fourth gear ratio 1.773

Sixth gear ratio 1.277

Seventh gear ratio 1

Transmission electronic control Transmission electronic control

Overdrive transmission Overdrive transmission

First gear ratio 4.615

Third gear ratio 2.132

Fifth gear ratio 1.519

Reverse gear ratio 4.695

Eighth gear ratio 0.851

Prepared for: **JOE FORNARO**

CITY OF KIRTLAND

Prepared by: Jenny Loveland

08/06/2025



Valley Truck Centers | 5715 Canal Rd. Cleveland Ohio | 44125

2025 F-750 Diesel Regular Cab Base (F7D)

Price Level: 515 | Stock No: 52845N | VIN: 1FDWF7DC7SDF08074 | Quote ID: 52845N

Selected Equip & Specs (cont'd)

Front Spring

Regular front springs

Regular front springs

Springs front

Tapered leaf front suspension

Rear Spring

Springs rear

Multi-leaf rear suspension

Rear springs

Regular grade rear springs

Auxiliary rear spring

Rubber auxiliary rear spring

Rear Suspension

Suspension type rear

Leaf spring rear suspension

Suspension ride type rear

Rigid axle rear suspension

Steering

Steering

Hydraulic power-assist steering system

Steering type

Re-circulating ball steering

Steering type number of wheels

2-wheel steering system

Exterior

Front Wheels

Front wheels diameter

22.5"

Front wheels width

8.3"

Rear Wheels

Rear wheels diameter

22.5"

Rear wheels width

8.3"

Front And Rear Wheels

Appearance

none

Front Tires

Aspect

82

Diameter

22.5"

Sidewalls

BSW

Tread

AS

Type

english measure truck tire

Width

279mm

Front wheel - RPM

497

Rear Tires

Aspect

82

Diameter

22.5"

Sidewalls

BSW

Tread

AS

Type

english measure truck tire

Width

279mm

Rear wheel - RPM

497

Body Exterior

Trailer

* Towing wiring harness

Trailer wiring harness

Exterior Features

Number of doors

2 doors

Side steps

Side assist steps

Front splash guards

Front splash guards

Prepared for: **JOE FORNARO**

CITY OF KIRTLAND

Prepared by: Jenny Loveland

08/06/2025



Valley Truck Centers | 5715 Canal Rd. Cleveland Ohio | 44125

2025 F-750 Diesel Regular Cab Base (F7D)

Price Level: 515 | Stock No: 52845N | VIN: 1FDWF7DC7SDF08074 | Quote ID: 52845N

Selected Equip & Specs (cont'd)

Storage

* Door bins front	Driver and passenger door bins	Number of beverage holders	2 beverage holders
Beverage holders	Front beverage holders	Glove box	Standard glove box
Dashboard storage	Dashboard storage		

Windows Feature

* One-touch up window	Driver and passenger one-touch up windows	* One-touch down window	Driver and passenger one-touch down windows
-----------------------	---	-------------------------	---

Miscellaneous

Trip computer	Trip computer	Gearshift location	Steering column lever gearshift location
Upfitter switches	Upfitter switches	Horn	Dual electric horn

Comfort

Climate Control

Climate control	Manual climate control
-----------------	------------------------

Headliner

Headliner material	Cloth headliner material	Headliner coverage	Full headliner coverage
--------------------	--------------------------	--------------------	-------------------------

Floor Trim

Floor covering	Full vinyl floor covering	Floor coverage	Full floor coverage
----------------	---------------------------	----------------	---------------------

Steering Wheel

Steering wheel material	Urethane steering wheel	Steering wheel telescopic	Manual telescopic steering wheel
Steering wheel tilt	Manual tilting steering wheel		

Seats and Trim

Seat Capacity

* Seating capacity	3
--------------------	---

Front Seats

Front seat type	Bucket driver seat	* Front seat type	Two person benchfront seat
Driver seat back	Folding driver seat back	Driver seat back type	Low driver seat back
* Driver seat suspension	Driver seat air suspension	Driver seats way-direction	4 driver seats way-direction
Driver seat fore/aft	Manual fore/aft	Passenger seat back type	Low passenger seat back
Passenger seats way-direction	2 passenger seats way-direction	Passenger seat fore/aft	Manual fore/aft
Armrests front driver	Driver seat armrest	* Armrests front center	Front seat center armrest

Front Seat Trim

Prepared for: **JOE FORNARO**

CITY OF KIRTLAND

Prepared by: Jenny Loveland

08/06/2025



Valley Truck Centers | 5715 Canal Rd. Cleveland Ohio | 44125

2025 F-750 Diesel Regular Cab Base (F7D)

Price Level: 515 | Stock No: 52845N | VIN: 1FDWF7DC7SDF08074 | Quote ID: 52845N

Selected Equip & Specs (cont'd)

Headlights

Headlights	Halogen headlights	Headlight type	Reflector headlights
Auto headlights	Auto on/off headlight control	Multiple headlights	Multiple enclosed headlights
Delay off headlights	Delay-off headlights		

Front Windshield

Wipers	Variable intermittent front windshield wipers	Speed sensitive wipers	Speed sensitive wipers
--------	---	------------------------	------------------------

Interior Lighting

* Illuminated entry	Illuminated entry	Variable panel light	Variable instrument panel light
Front reading lights	Front reading lights		

Lights

Running lights	Daytime running lights	Interior courtesy lights	Delay interior courtesy lights
Clearance lights	Cab clearance lights		

Technology and Telematics

Connectivity

Handsfree connectivity	Bluetooth handsfree wireless device
------------------------	-------------------------------------

USB Ports

USB ports	1 USB port
-----------	------------

Safety and Security

Security System

* Immobilizer	Immobilizer	* Remote panic alarm	Remote panic alarm
Vehicle tracker	Vehicle tracker		